

## Oxycodone three drug compatibility

Oxycodone (A) and dexamethasone\*(B) and metoclopramide (C)

Drug	Dose in syringe (mg)	Volume in syringe (ml)	Concentration (mg/ml)	Diluent	Outcome	Comments
A	120	17.5	6.86	Water for Injection	Appeared compatible for 12h	Clinical observation
B	0.5		0.03			
C	30		1.71			

\* Salt not stated.

Oxycodone (A) and cyclizine (B) and haloperidol (C)

Drug	Dose in syringe (mg)	Volume in syringe (ml)	Concentration (mg/ml)	Diluent	Outcome	Comments
A	15	21	0.71	Water for Injection	Appeared compatible for 24h	Clinical observation
B	150		7.14			
C	2.5		0.12			

Oxycodone (A) and haloperidol (B) and metoclopramide (C)

Drug	Dose in syringe (mg)	Volume in syringe (ml)	Concentration (mg/ml)	Diluent	Outcome	Comments
A	70	14	5.00	Water for Injection	Appeared compatible for 24h	Clinical observation
B	2		0.14			
C	30		2.14			
A	70	18	3.89	Water for Injection	Appeared compatible for 24h	Clinical observation
B	2		0.11			
C	60		3.33			
A	100	17.8	5.62	Water for Injection	Appeared compatible for 24h	Clinical observation
B	4		0.22			
C	35		1.97			

Oxycodone (A) and haloperidol (B) and midazolam (C)

Drug	Dose in syringe (mg)	Volume in syringe (ml)	Concentration (mg/ml)	Diluent	Outcome	Comments
A	5	21	0.24	Water for Injection	Appeared compatible for 24h	Clinical observation
B	5		0.24			
C	50		2.38			
A	15	21	0.71	Water for Injection	Appeared compatible for 24h	Clinical observation
B	2.5		0.12			
C	10		0.48			
A	40	14	2.86	Water for Injection	Appeared compatible for 24h	Clinical observation
B	3		0.21			
C	10		0.71			

Oxycodone (A) and hyoscine butylbromide (B) and midazolam (C)

Drug	Dose in syringe (mg)	Volume in syringe (ml)	Concentration (mg/ml)	Diluent	Outcome	Comments
A	5	17.5	0.29	Water for Injection	Appeared compatible for 24h	Clinical observation
B	100		5.71			
C	10		0.57			
A	10	17.5	0.57	Water for Injection	Appeared compatible for 24h	Clinical observation
B	60		3.43			
C	10		0.57			

Oxycodone (A) and levomepromazine (B) and metoclopramide (C)

Drug	Dose in syringe (mg)	Volume in syringe (ml)	Concentration (mg/ml)	Diluent	Outcome	Comments
A	15	17	0.88	Saline	Appeared compatible for 24h	Clinical observation
B	12.5		0.74			
C	30		1.76			
A	30	15	2.00	Saline	Appeared compatible for 24h	Clinical observation
B	12.5		0.83			
C	60		4.00			

Oxycodone (A) and levomepromazine (B) and hyoscine butylbromide (C)

Drug	Dose in syringe (mg)	Volume in syringe (ml)	Concentration (mg/ml)	Diluent	Outcome	Comments
A	7.5	8	0.94	Water for Injection	Appeared compatible for 24h	Clinical observation
B	6.25		0.78			
C	60		7.50			

Oxycodone (A) and levomepromazine (B) and clonazepam (C)

Drug	Dose in syringe (mg)	Volume in syringe (ml)	Concentration (mg/ml)	Diluent	Outcome	Comments
A	80	17	4.71	Water for Injection	Appeared compatible for 24h	Clinical observation
B	12.5		0.74			
C	1		0.06			

Note: 'Appeared compatible' means that no obvious signs of incompatibility were observed, i.e. crystallisation, precipitation, discolouration.