

palliativedrugs.com Syringe Driver Survey Database (SDSD)

Guidelines for submitting observational compatibility data

SDSD objective

To collate observational compatibility data on syringe driver drug combinations in clinical use for the benefit of all members of www.palliativedrugs.com.

Submitting data

A data collection form can be downloaded from the SDSD to facilitate collecting compatibility information at ward level.

To enter data onto the SDSD:

1. Login to www.palliativedrugs.com.
2. Select SDSD from the horizontal menu above the red line.
3. Scroll down to the bottom of the SDSD welcome page and select 'continue to SDSD search page'.
4. Select 'submit an entry' (not 'submit a survey entry', this is for specific surveys and requires a centre number).
5. Complete all fields required.
6. Click on 'submit'.
7. Check the entry and confirm or re-edit as appropriate.

The entry will not appear on the live website until a pharmacist has had chance to review it.

Additional notes

- doses must be entered as numbers only (no units) and as **milligrams (mg)**
- final volume should be in **millilitres (mL)**
- infusion duration documented should be the **actual time that the infusion ran** for (rather than the prescribed time) to enable an accurate record of observational stability data.
- data type is **observational**
- the data should be submitted after the **end of the infusion** to enable accurate documentation of duration of infusion, compatibility problems and site reactions
- the number of full 24h periods that have been administered can be recorded in the comments section
- the reference section can be left blank.

Contact us

Any queries please contact hq@palliativedrugs.com